

## Clinical Institute Withdrawal Assessment Scale - Benzodiazepines

Guide to the Use of the Clinical Withdrawal Assessment Scale for Benzodiazepines

## **Person Report:**

For each of the following items, circle the number that best describes how you feel.

Do you feel irritable?	0	1	2	3	4
	Not at all				Very much so
Do you feel fatigued?	0	1	2	3	4
	Not at all				Unable to function
Do you feel tense?	0	1	2	3	4
	Not at all				Very much so
Do you have difficulties concentrating?	0	1	2	3	4
	Not at all				Unable to concentrate
Do you have any loss of appetite?	0	1	2	3	4
	Not at all				No appetite, unable to eat
Have you any numbness or burning on your face, hands or feet?	0	1	2	3	4
	No numbness				Intense burning/numbness
Do you feel your heart racing? (palpitations)	0	1	2	3	4
	No disturbance				Constant racing
Does your head feel full or achy?	0	1	2	3	4
	Not at all				Severe headache



Do you feel muscle aches or stiffness?	0	1	2	3	4
	Not at all				Severe stiffness or pain
Do you feel anxious, nervous or jittery?	0	1	2	3	4
	Not at all				Very much so
Do you feel upset?	0	1	2	3	4
	Not at all				Very much so
How restful was your sleep last night?	0	1	2	3	4
	Very restful				Not at all
Do you feel weak?	0	1	2	3	4
	Not at all				Very much so
Do you think you didn't have enough sleep last night?	0	1	2	3	4
	Very much so				Not at all
Do you have any visual disturbances? (sensitivity to light, blurred vision)	0	1	2	3	4
	Not at all				Very sensitive to light, blurred vision
Are you fearful?	0	1	2	3	4
	Not at all				Very much so
Have you been worrying about possible misfortunes lately?	0	1	2	3	4
	Not at all				Very much so



## **Clinician Observations**

Observe behaviour for sweating, restlessness and agitation		Observe tremor			Observe feel palms		
0	None, normal activity	0	No tremor	0	No sweating visible		
1		1	Not visible, can be felt in fingers	1	Barely perceptible sweating, palms moist		
2	Restless	2	Visible but mild	2	Palms and forehead moist, reports armpit sweating		
3		3	Moderate with arms extended	3	Beads of sweat on forehead		
4	Paces back and forth, unable to sit still	4	Severe, with arms not extended	4	Severe drenching sweats		

Total Score Items 1 – 20

1–20 = mild withdrawal

41-60 = severe withdrawal

21-40 =moderate withdrawal

61–80 = very severe withdrawal

Source: Adapted from Busto, U.E., Sykora, K. & Sellers, E.M. (1989). A clinical scale to assess benzodiazepine withdrawal. *Journal of Clinical Psychopharmacology*, 9 (6), 412–416.